

4. Conclusion

In this paper, a new ac/dc converter based on a quasi-active PFC scheme has been presented. The proposed method produces a current with low harmonic content to meet the standard specifications as well as high efficiency. This circuit is based on adding an auxiliary winding to the transformer of a cascade dc/dc DCM flyback converter. The input inductor can operate in DCM to achieve lower THD and high power factor. By properly designing the converter components, a tradeoff between efficiency and harmonic content can be established to obtain compliance with the regulation and efficiency as high as possible. Operating principles, analysis, and experimental results of the proposed method are presented.

5. References

- [1] O. Gracia, J. A. Cobos, R. Prieto, and J. Uceda, "Single-phase power factor correction: A survey," *IEEE Trans. Power Electron.*, vol. 18, no. 3, pp. 749–755, May 2003.
- [2] R. Redle, L. Balogh, and N. O. Sokal, "A new family of single-stage isolated power factor correctors with fast regulation of the output voltage," in *Proc. IEEE PESC 1994 Conf.*, pp. 1137–1144.
- [3] C. Qian and K. Smedley, "A topology survey of single-stage power factor input-current-shaper," *IEEE Trans. Power Electron.*, vol. 16, no. 3, pp. 360–368, May 2001.
- [4] T.-F. Wu, T.-H. Yu, and Y.-C. Liu, "An alternative approach to synthesizing single-stage converters with power factor correction feature," *IEEE Trans. Ind. Electron.*, vol. 46, no. 4, pp. 734–748, Aug. 1999.
- [5] L. Huber, J. Zhang, M. Jovanovic, and F.C. Lee, "Generalized topologies of single-stage input-current-shaping circuits," *IEEE Trans. Power Electron.*, vol. 16, no. 4, pp. 508–513, Jul. 2001.
- [6] H. Wei, I. Batarseh, G. Zhu, and K. Peter, "A single-switch AC-DC converter with power factor correction," *IEEE Trans. Power Electron.*, vol. 15, no. 3, pp. 421–430, May 2000.
- [7] L. K. Chang and H. F. Liu, "A novel forward AC/DC converter with input current shaping and fast output voltage regulation via reset winding," *IEEE Trans. Ind. Electron.*, vol. 52, no. 1, pp. 125–131, Feb. 2005.
- [8] H. L. Do, "Single-stage single-switch power factor correction AC/DC converter," *Inst. Electr. Eng. Proc. Electr. Power Appl.*, vol. 152, no. 6, pp. 1578–1584, Nov. 2005.
- [9] J. Qian, Q. Zhao, and F. C. Lee, "Single-stage single-switch power factor correction ac/dc converters with dc-bus voltage feedback for universal line applications," *IEEE Trans. Power Electron.*, vol. 13, no. 6, pp. 1079–1088, Nov. 1998.
- [10] S. Luo, W. Qiu, W. Wu, and I. Batarseh, "Flyboost power factor correction cell and a new family of single-stage AC/DC converters," *IEEE Trans. Power Electron.*, vol. 20, no. 1, pp. 24–33, Jan. 2005.
- [11] M. M. Jovanovic, D. M. Tsang, and F. C. Lee, "Reduction of voltage stress in integrated high-quality rectifiers-regulators by variable frequency control," in *Proc. IEEE APEC 1994 Conf.*, pp. 569–575.
- [12] J. Sebastian, A. Fernandez, P. Villegas, M. Hemando, and J. Prieto, "New topologies of active input current shapers to allow AC-to-DC converters with asymmetrically driven transformers to comply with the IEC-1000-3-2," *IEEE Trans. Power Electron.*, vol. 17, no. 4, pp. 493–501, Jul. 2002.
- [13] N. Vazquez, J. Lopez, J. Arau, C. Hernandez, and Elias Rodriguez, "A different approach to implement an active input current shaper," *IEEE Trans. Ind. Electron.*, vol. 52, no. 1, pp. 132–138, Feb. 2005.
- [14] K. Zhou, J. G. Zhang, S. Yuvarajan, and D. F. Weng, "Quasiactive power factor correction circuit for switching power supply," *IEEE Trans. Power Electron.*, vol. 23, no. 3, pp. 1410–1414, May 2008.